



The Air Intelligence Module tests indoor air quality and automatically adjusts the speed setting based on your indoor air quality.



Use the optional Pro XL wall mount to free up floor space.




V-shaped filters for greater filtration capacity.

Headquartered in Stockholm, Sweden, Blueair is the leading provider of best-in-class air purification solutions for people who want to breathe better and lead healthier lives. Since 1995, Blueair has been committed to enabling people including those with allergies, asthma and respiratory diseases to breathe the cleanest possible indoor air.

Sold in over 60 countries, our high-performance air purification solutions are energy-efficient and responsibly made. Through our unwavering commitment to excellence, research and constant innovation, Blueair is shaping the way the world breathes. Breathing clean air is a human right – making people feel more alert and alive – today and tomorrow.

Clean air for everyone



Blueair Pro

Performance & Specifications



Model ¹	Blueair Pro M	Blueair Pro L	Blueair Pro XL	
Room Size	36 m ² (390 sq. ft.)	72 m ² (780 sq. ft.)	110 m ² (1180 sq. ft.)	
Clean Air Delivery Rate (CADR)^{II}				
Smoke	250 cfm (425 m ³ /h)	490 cfm (833 m ³ /h)	800 cfm (1359 m ³ /h)	
Dust	285 cfm (485 m ³ /h)	630 cfm (1070 m ³ /h)	950 cfm (1614 m ³ /h)	
Pollen	350 cfm (595 m ³ /h)	600 cfm (1020 m ³ /h)	900 cfm (1529 m ³ /h)	
Air Changes Per Hour ^{III}	5	5	5	
Product				
Airflow	- High - Medium - Low	330 cfm (561 m ³ /h) 110 cfm (187 m ³ /h) 70 cfm (119 m ³ /h)	660 cfm (1122 m ³ /h) 220 cfm (374 m ³ /h) 140 cfm (238 m ³ /h)	990 cfm (1683 m ³ /h) 330 cfm (561 m ³ /h) 210 cfm (357 m ³ /h)
Sound Level	- High - Medium - Low	55 dB(A) 34 dB(A) 32 dB(A)	55 dB(A) 34 dB(A) 32 dB(A)	58 dB(A) 35 dB(A) 32 dB(A)
Energy Consumption	- High - Medium - Low	85 W 19 W 11 W	170 W 38 W 22 W	256 W 57 W 33 W
Casters	No	Yes	No	
Wall Mount	No	No	Optional	
HEPASilent Filter^{IV}				
Particle Filter	Yes	Yes	Yes	
SmokeStop Filter	Yes	Yes	Yes	
Carbon+ Filter	Optional	Optional	Optional	
Number of Filters	1	2	3	
Filter Replacement Indicator	Yes	Yes	Yes	
Sensors				
Air Intelligence Module	Optional	Optional	Yes	
Certification Programs^V				
AHAM Verified	Yes	Yes	Yes	
Energy Star	Yes	Yes	Yes	
ARB (Ozone)	Yes	Yes	Yes	
Dimensions / Weight				
Product Dimensions (H x W x D)	430 x 504 x 240 mm 17 x 20 x 10 in.	790 x 504 x 240 mm 31 x 20 x 10 in.	1120 x 504 x 240 mm 44 x 20 x 10 in.	
Product Weight (including filter)	11.5 kg (25 lbs)	20 kg (44 lbs)	31.6 kg (70 lbs)	

¹ Specifications based on U.S. models (120 VAC, 60 Hz with particle filter).

^{II} The CADR indicates how much filtered air is delivered (airflow) by the air purifier operating at the highest setting, and how well the system removes tobacco smoke, dust and pollen pollutants from the air (efficiency). Tests are performed in accordance with ANSI/AHAM AC-1. The maximum possible CADR ratings according to this standard are: Tobacco Smoke: 450 cfm. / Dust: 400 cfm. / Pollen: 450 cfm.

^{III} Air change per hour is calculated on the recommended room size, assuming 8 foot (2.4 m) ceiling. The air change rate per hour will increase for smaller rooms.

^{IV} Recommended interval for filter replacement is 6 months.
^V Blueair units comply with quality, safety and regulatory requirements of the countries where they are sold. Blueair units comply with international standards, including the CE mark, S mark, CB Scheme and ETL Listed Mark. National standards are controlled by the distributors responsible for the market.

Blueair Pro HEPASilent Filters

Performance & Specifications

Blueair Pro Particle Filter (Standard)

Designed for maximum removal of all airborne particles. The perfect choice for removing pollutants such as pollen, dust, pet dander and other particles you don't want around.

Pre-filter Media	Low density foam
Filter Media	Thermally bonded polyolefin
Number of Filters (M - L - XL)	1 - 2 - 3
Filter Frame Material	PP
Filter Recycling	Plastic
Dimensions (H x W x D)	350 x 205 x (30 + 30) mm (13.8 x 8.1 x (1.2 + 1.2) in.)
Surface Area per Pre-filter	0.14 m ² (1.51 sq. ft.)
Surface Area per Unit (M - L - XL)	0.14 m ² - 0.28 m ² - 0.42 m ² (1.51 sq. ft. - 3.01 sq. ft. - 4.52 sq. ft.)
Surface Area per Filter	1.60 m ²
Surface Area per Unit (M - L - XL)	1.60 m ² - 3.20 m ² - 4.80 m ² (17.2 sq. ft. - 34.4 sq. ft. - 51.7 sq. ft.)

Blueair Pro SmokeStop Filter (Alternative)

Particle filter with activated carbon for use in rooms where removal of heavy gaseous pollutants, such as tobacco smoke or volatile organic compounds (VOCs), is required.

Pre-filter Media	Low density foam
Filter Media	Thermally bonded polyolefin and activated carbon pellets
Number of Filters (M - L - XL)	1 - 2 - 3
Filter Frame Material	PP
Filter Recycling	Plastic
Envelope	Honeycomb PE
Dimensions (H x W x D)	350 x 205 x (40 + 40) mm (13.8 x 8.1 x (1.6 + 1.6) in.)
Surface Area per Pre-filter	0.14 m ² (1.51 sq. ft.)
Surface Area per Unit (M - L - XL)	0.14 m ² - 0.28 m ² - 0.42 m ² (1.51 sq. ft. - 3.01 sq. ft. - 4.52 sq. ft.)
Surface Area per Filter	1.60 m ²
Surface Area per Unit (M - L - XL)	1.60 m ² - 3.20 m ² - 4.80 m ² (17.2 sq. ft. - 34.4 sq. ft. - 51.7 sq. ft.)

Blueair Pro Carbon+ Filter (Optional)

Optional extra Blueair Pro filter with activated carbon, alumina and other binders for the removal of heavy gaseous pollutants.

Filter Media	Activated carbon pellets
Number of Filters (M - L - XL)	1 - 2 - 3
Filter Frame Material	Paper
Filter Recycling	Plastic
Envelope	Honeycomb PE
Dimensions	350 x 205 x (10 + 10) mm (13.8 x 8.1 x (0.4 + 0.4) in.)

